Department of Veterans Affairs	WRIST CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE					
Name of Patient/Veteran	Patient/Veteran's Social Sec	curity Number	Date of examination:			
IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM.						
Note - The Veteran is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the Veteran's claim. VA may obtain additional medical information, including an examination, if necessary, to complete VA's review of the Veteran's application. VA reserves the right to confirm the authenticity of ALL completed questionnaires. It is intended that this questionnaire will be completed by the Veteran's healthcare provider.						
Are you completing this Disability Benefits Questionnaire at the request of: Veteran/Claimant						
Third party (please list name(s) of organization(s)	or individual(s))					
Other: please describe						
Are you a VA Healthcare provider? O Yes	⊖ ^{No}					
Is the Veteran regularly seen as a patient in your clinic	? Yes	O №				
Was the Veteran examined in person? O Yes	⊖ No					
If no, how was the examination conducted?						
	EVIDENCE	REVIEW				
Evidence reviewed:						
O No records were reviewed						
Records reviewed						
Please identify the evidence reviewed (e.g. service treatment records, VA treatment records, private treatment records) and the date range.						
Dominant hand:		II HAND				
	SECTION I - I	DIAGNOSIS				
Note: These are condition(s) for which an evaluation has been requested on the exam request form (Internal VA) or for which the Veteran has requested medical						
evidence be provided for submission to VA. <u>1A. List the claimed condition(s) that pertain to this que</u>	estionnaire:					

Note: These are the diagnoses determined during this current evaluation of the claimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to the claimed condition(s), explain your findings and reasons in the Remarks section. Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis or an approximate date determined through record review or reported history.

1B. Select diagnoses associated with the claimed condition(s) (check all that apply):

The Veteran does not have a current diagnosis associated with any claimed condition(s) listed above. (Explain your findings and reasons in the Remarks section)

	Side affected	l:		ICD code:	Date of diagnosis:	
Wrist sprain, chronic	O Right	◯ Left	O Both		Right:	Left:
Ganglion cyst	O Right	◯ Left	O Both		Right:	Left:
Carpal metacarpal (CMC) arthritis	O Right	◯ Left	O Both		Right:	Left:
Triangular fibrocartilaginous complex (TFCC) injury	O Right	○ Left	O Both		Right:	Left:
DeQuervain's syndrome	O Right	○ Left	O Both		Right:	Left:
Carpal instability (intercalated segment/midcarpal/scapholunate dissociation)	O Right	◯ Left	O Both		Right:	Left:
Avascular necrosis of carpal bones	O Right	◯ Left	O Both		Right:	Left:
Wrist arthroplasty (total/ulnar head replacement)	O Right	◯ Left	O Both		Right:	Left:
Ankylosis of wrist	O Right	○ Left	O Both		Right:	Left:
Degenerative arthritis, other than posttraumatic	C Right	◯ Left	O Both		Right:	Left:
Arthritis, gonorrheal	O Right	O Left	O Both		Right:	Left:
Arthritis, pneumococcic	O Right	O Left	O Both		Right:	Left:
Arthritis, streptococcic	O Right	◯ Left	O Both		Right:	Left:
Arthritis, syphilitic	O Right	○ Left	O Both		Right:	Left:
Arthritis, rheumatoid (multi-joints)	O Right	O Left	O Both		Right:	Left:
Post-traumatic arthritis	O Right	O Left	O Both		Right:	Left:
Arthritis, typhoid	O Right	◯ Left	O Both		Right:	Left:
Other specified forms of arthropathy (excluding gout)	O Right	◯ Left	O Both		Right:	Left:
(specify)						
Osteoporosis, residuals of	O Right	O Left	O Both		Right:	Left:
Osteomalacia, residuals of	O Right	◯ Left	O Both		Right:	Left:
Bones, neoplasm, benign	O Right	◯ Left	O Both		Right:	Left:
Osteitis deformans	O Right	O Left	O Both		Right:	Left:
Gout	O Right	◯ Left	O Both		Right:	Left:
Bursitis	O Right	◯ Left	O Both		Right:	Left:
Myositis	O Right	O Left	O Both		Right:	Left:
Heterotopic ossification	O Right	◯ Left	O Both		Right:	Left:
Tendinopathy (select one if known)	O Right	◯ Left	O Both		Right:	Left:
Tenosynovitis	O Right	◯ Left	O Both		Right:	Left:
Tendinitis	O Right	O Left	O Both		Right:	Left:

Tendinosis	O Right	O Left	O Both	Right:	Left:
Inflammatory other types	O Right	O Left	Both	Right:	Left:
(specify)					
Other (specify)					
 Other diagnosis #1					
	O Right	C Left	⊖ Both	Right:	Left:
Other diagnosis #2	0	0	<u> </u>		
_	O Right	O Left	O Both	Right:	Left:
1C. If there are additional diagnoses th	nat pertain to wr	ist conditions,	list using above format:		
		SEC	TION II - MEDICAL HISTORY		
2A. Describe the history (including ons	et and course)	of the Veteran	's wrist condition (brief summary):		
2B. Does the Veteran report flare-ups	of the wrist?				
	tion of the flare-	uns he or she	experiences including the frequency dur	ation characteristics precip	itating and alleviating
factors, severity and/or extent of function	onal impairment	t he or she exp	experiences, including the frequency, dur periences during a flare-up of symptoms.		

2C. Does the Veteran report having any functional loss or functional impairment of limited to after repeated use over time?	of the joint or extremity being evaluated on this questionnaire, including but not
⊖ Yes ⊖ No	
If yes, document the Veteran's description of functional loss or functional impairm	nent in his/her own words.
SECTION III - R	ANGE OF MOTION
functional loss that can be ascribed to any documented loss of range of motion; a be considered. Subsequent questions take into account additional factors such as	nt. The question "Does this ROM contribute to a functional loss?" asks if there is a and, unlike later questions, does not take into account the numerous other factors to is pain, fatigue, weakness, lack of endurance, or incoordination. If there is pain noted butes to functional loss. Ideally, a claimant would be seen immediately after repetitive
functional loss associated with repeated use over time. The observed repetitive u	
Optimally, a description of any additional loss of function should be provided - suc repetitive use over time. However, when this is not feasible, an "as clear as possi- three repetitions) is asked to be provided with regards to flare-ups.	ch as what the degrees of range of motion would be opined to look like after ible" description of that loss should be provided. This same information (minus the
Right wrist	Left wrist
3A. Initial ROM measurements	3A. Initial ROM measurements
All normal Abnormal or outside of normal range	All normal Abnormal or outside of normal range
Unable to test Not indicated	Unable to test Not indicated
If "Unable to test" or "Not indicated", please explain:	If "Unable to test" or "Not indicated", please explain:
][]
If ROM is outside of "normal" range, but is normal for the Veteran (for reason other than a wrist condition, such as age, body habitus, neurologic disease),	If ROM is outside of "normal" range, but is normal for the Veteran (for reason other than a wrist condition, such as age, body habitus, neurologic disease),
please describe:	please describe:
If abnormal, does the range of motion itself contribute to a functional loss?	If abnormal, does the range of motion itself contribute to a functional loss?
Yes No (if yes, please explain)	Yes No (if yes, please explain)
	J []

should also test the contralateral joint (ur	should address pain on both passive and a nless medically contraindicated). If testing injury), an explanation must be given belo nipulation).	cannot be performed or is medically contra	aindicated (such as it may cause the	
Can testing be performed?	es 🔿 No	Can testing be performed? O Yes O No		
If no, provide an explanation:		If no, provide an explanation:		
If this is the unclaimed joint, is it: D	amaged Undamaged	If this is the unclaimed joint, is it: O Damaged O Undamaged If undamaged, range of motion testing must be conducted.		
Active Range of Motion (ROM) - Perform values:		Active Range of Motion (ROM) - Perform values:		
Dorsiflexion endpoint (70 degrees):	degrees	Dorsiflexion endpoint (70 degrees):	degrees	
Palmar flexion endpoint (80 degrees):	degrees	Palmar flexion endpoint (80 degrees):	degrees	
Ulnar deviation endpoint (45 degrees):	degrees	Ulnar deviation endpoint (45 degrees):	degrees	
Radial deviation endpoint (20 degrees):	degrees	Radial deviation endpoint (20 degrees):	degrees	
If noted on examination, which ROM exh	ibited pain? (Select all that apply.)	If noted on examination, which ROM exh	nibited pain? (Select all that apply.)	
Dorsiflexion	Ulnar deviation	Dorsiflexion	Ulnar deviation	
Palmar flexion	Radial deviation	Palmar flexion	Radial deviation	
If any limitation of motion is specifically a incoordination, or other, please note the specifically attributable to the factors ider	degree(s) in which limitation of motion is		attributable to pain, weakness, fatigability, degree(s) in which limitation of motion is ntified and describe.	
Dorsiflexion	degree endpoint (if different than above)	Dorsiflexion	degree endpoint (if different than above)	
Palmar flexion	degree endpoint (if different than above)	Palmar flexion	degree endpoint (if different than above)	
Ulnar deviation	degree endpoint (if different than above)	Ulnar deviation	degree endpoint (if different than above)	
Radial deviation	degree endpoint (if different than above)	Radial deviation	degree endpoint (if different than above)	
Describe:		Describe:		
Passive Range of Motion - Perform pass	ive ROM and provide the ROM values.	Passive Range of Motion - Perform pass	vive ROM and provide the ROM values.	
Dorsiflexion endpoint (70 degrees):	degrees Same as active ROM	Dorsiflexion endpoint (70 degrees):	degrees Same as active ROM	
Palmar flexion endpoint (80 degrees):	degrees Same as active ROM	Palmar flexion endpoint (80 degrees):	degrees Same as active ROM	
Ulnar deviation endpoint (45 degrees):	degrees Same as active ROM	Ulnar deviation endpoint (45 degrees):	degrees Same as active ROM	
Radial deviation endpoint (20 degrees):	degrees Same as active ROM	Radial deviation endpoint (20 degrees):	degrees Same as active ROM	
If noted on examination, which passive R apply):	OM exhibited pain? (select all that	If noted on examination, which passive F apply):	ROM exhibited pain? (select all that	
Dorsiflexion	Ulnar deviation	Dorsiflexion	Ulnar deviation	
Palmar flexion	Radial deviation	Palmar flexion	Radial deviation	

I

If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other, please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.	If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other, please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.		
Dorsiflexion degree endpoint (if different than above)	Dorsiflexion degree endpoint (if different than above)		
Palmar flexion degree endpoint (if different than above)	Palmar flexion degree endpoint (if different than above)		
Ulnar deviation degree endpoint (if different than above)	Ulnar deviation degree endpoint (if different than above)		
Radial deviation degree endpoint (if different than above)	Radial deviation degree endpoint (if different than above)		
Describe:	Describe:		
Is there evidence of pain?	Is there evidence of pain?		
⊖ Yes ⊖ No	⊖ Yes ⊖ No		
If yes, check all that apply:	If yes, check all that apply:		
weight-bearing nonweight-bearing	weight-bearing nonweight-bearing		
active motion passive motion	active motion passive motion		
on rest/non-movement does not result in/cause functional loss	on rest/non-movement does not result in/cause functional loss		
causes functional loss (if checked describe in the comments box below)	causes functional loss (if checked describe in the comments box below)		
Comments:	Comments:		
Is there objective evidence of crepitus?	Is there objective evidence of crepitus?		
O Yes O No	O Yes O No		
Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue?	Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue?		
O Yes O No	⊖ Yes ⊖ No		
If yes, please explain. Include location, severity, and relationship to condition(s).	If yes, please explain. Include location, severity, and relationship to condition(s).		
3B. Observed repetitive use ROM	3B. Observed repetitive use ROM		
Is the Veteran able to perform repetitive-use testing with at least three repetitions?	Is the Veteran able to perform repetitive-use testing with at least three repetitions?		
⊖ Yes ⊖ No	⊖ Yes ⊖ No		
If no, please explain:	If no, please explain:		

Is there additional loss of function or range of motion after three repetitions?	Is there additional loss of function or range of motion after three repetitions?		
⊖ Yes ⊖ No	⊖ Yes ⊖ No		
If yes, please respond to the following after the completion of the three repetitions:	If yes, please respond to the following after the completion of the three repetitions:		
Dorsiflexion endpoint (70 degrees): degrees	Dorsiflexion endpoint (70 degrees): degrees		
Palmar flexion endpoint (80 degrees): degrees	Palmar flexion endpoint (80 degrees): degrees		
Ulnar deviation endpoint (45 degrees): degrees	Ulnar deviation endpoint (45 degrees): degrees		
Radial deviation endpoint (20 degrees):	Radial deviation endpoint (20 degrees):		
Select factors that cause this functional loss. (Check all that apply):	Select factors that cause this functional loss. (Check all that apply):		
N/A Pain Fatigability Weakness	N/A Pain Fatigability Weakness		
Lack of endurance	Lack of endurance Incoordination		
Other	Other		
	ent on whether pain could significantly limit functional ability during flare-ups and/or exam report, the examiner is requested to provide an estimate of decreased range n if not directly observed during a flare-up and/or after repeated use over time.		
3C. Repeated use over time	3C. Repeated use over time		
Is the Veteran being examined immediately after repeated use over time?	Is the Veteran being examined immediately after repeated use over time?		
O Yes O No	⊖ Yes ⊖ No		
Does procured evidence (statements from the Veteran) suggest pain, fatigability weakness, lack of endurance, or incoordination which significantly limits functional ability with repeated use over time?	, Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with repeated use over time?		
⊖ Yes ⊖ No	⊖ Yes ⊖ No		
Select factors that cause this functional loss. (Check all that apply):	Select factors that cause this functional loss. (Check all that apply):		
N/A Pain Fatigability Weakness	N/A Pain Fatigability Weakness		
Lack of endurance	Lack of endurance		
Other	Other		
Estimate range of motion in degrees for this joint immediately after repeated use over time based on information procured from relevant sources including the lay statements of the Veteran.	Estimate range of motion in degrees for this joint immediately after repeated use over time based on information procured from relevant sources including the lay statements of the Veteran.		
Dorsiflexion endpoint (70 degrees): degrees	Dorsiflexion endpoint (70 degrees): degrees		
Palmar flexion endpoint (80 degrees): degrees	Palmar flexion endpoint (80 degrees): degrees		
Ulnar deviation endpoint (45 degrees): degrees	Ulnar deviation endpoint (45 degrees): degrees		
Radial deviation endpoint (20 degrees degrees):	Radial deviation endpoint (20 degrees): degrees		
The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed.	all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's therefore the explanation should not be based on an examiner's the explanation should not be based on an examiner's		
Please cite and discuss evidence. (Must be specific to the case and based on al procurable evidence.)	Please cite and discuss evidence. (Must be specific to the case and based on all procurable evidence.)		

3D. Flare-ups		3D. Flare-ups			
Is the examination being conducted during a flare-up?		Is the examination being conducted during a flare-up?			
O Yes O No		⊖ Yes ⊖ No			
Does procured evidence (statements from the Veteran) suggest weakness, lack of endurance, or incoordination which significant functional ability with repeated use over time?		Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with repeated use over time?			
⊖ Yes ⊖ No		⊖ Yes ⊖ No			
Select factors that cause this functional loss. (Check all that appl	y):	Select factors that cause this fund	ctional loss. (Check all that apply):		
N/A Pain Fatigability We	akness	N/A Pain Fatigability Weakness			
Lack of endurance Incoordination		Lack of endurance	Incoordination		
Other		Other			
Estimate range of motion in degrees for this joint immediately aft over time based on information procured from relevant sources i statements of the Veteran.			ees for this joint immediately after repeated use rocured from relevant sources including the lay		
Dorsiflexion endpoint (70 degrees):	degrees	Dorsiflexion endpoint (70 degrees	s): degrees		
Palmar flexion endpoint (80 degrees):	degrees	Palmar flexion endpoint (80 degre	ees): degrees		
Ulnar deviation endpoint (45 degrees):	degrees	Ulnar deviation endpoint (45 degr	ees): degrees		
Radial deviation endpoint (20 degrees):	degrees	Radial deviation endpoint (20 degrees):	degrees		
The examiner should provide the estimated range of motion bass all procurable information - to include the Veteran's statement or case-specific evidence (to include medical treatment records wh and lay evidence), and the examiner's medical expertise. If, after the procurable and assembled data, the examiner determines th feasible to provide this estimate, the examiner should explain wh cannot be provided. The explanation should not be based on an shortcomings or a general aversion to offering an estimate on iss observed. Please cite and discuss evidence. (Must be specific to the case a procurable evidence.)	a examination, en applicable r evaluation of at it is not ay an estimate examiner's sues not directly	The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed. Please cite and discuss evidence. (Must be specific to the case and based on all procurable evidence.)			
3E. Additional factors contributing to disability		3E. Additional factors contributing	to disability		
In addition to those addressed above, are there additional contril disability? Please select all that apply and describe:	outing factors of	In addition to those addressed ab disability? Please select all that a	ove, are there additional contributing factors of pply and describe:		
None		None			
Interference with standing	sitting	Interference with standing	Interference with sitting		
Disturbance of locomotion Swelling		Disturbance of locomotion	Swelling		
Less movement than normal Deformity		Less movement than normal	Deformity		
Weakened movement More movement t	han normal	Weakened movement	More movement than normal		
Instability of station		Instability of station	Atrophy of disuse		
Other, describe:		Other, describe:			
Please describe additional contributing factors of disability:		Please describe additional contrib	outing factors of disability:		

SECTION IV - MUSCLE ATROPHY				
4A. Does the Veteran have muscle atrophy?	4A. Does the Veteran have muscle atrophy?			
O Yes O No	O Yes O No			
4B. If yes, is the muscle atrophy due to the claimed condition in the diagnosis section?	4B. If yes, is the muscle atrophy due to the claimed condition in the diagnosis section?			
O Yes O No	O Yes O No			
If no, provide rationale:	If no, provide rationale:			
4C. For any muscle atrophy due to a diagnosis listed in Section I, indicate specific location of atrophy, providing measurements in centimeters of normal side and corresponding atrophied side, measured at maximum muscle bulk.	4C. For any muscle atrophy due to a diagnosis listed in Section I, indicate specific location of atrophy, providing measurements in centimeters of normal side and corresponding atrophied side, measured at maximum muscle bulk.			
Right upper extremity (specify location of measurement, such as "10 cm below anterior elbow crease"):	Left upper extremity (specify location of measurement, such as "10 cm below anterior elbow crease"):			
Circumference of more normal side: cm Circumference of more normal side: cm				
Circumference of atrophied side: cm	Circumference of atrophied side: cm			
SECTION V	ANKYLOSIS			
Note: Ankylosis is the immobilization of a joint due to disease, injury, or surgical pr	ocedure.			
5A. Is there ankylosis of the wrist?	5A. Is there ankylosis of the wrist?			
Ves No	Yes No			
If yes, indicate severity of ankylosis:	If yes, indicate severity of ankylosis:			
Extremely unfavorable				
Unfavorable, in any degree of palmar flexion	Unfavorable, in any degree of palmar flexion			
If checked, provide degrees of palmar flexion:	If checked, provide degrees of palmar flexion:			
Unfavorable, with ulnar deviation	Unfavorable, with ulnar deviation			
If checked, provide degrees of ulnar deviation:	If checked, provide degrees of ulnar deviation:			
Unfavorable, with radial deviation	Unfavorable, with radial deviation			
If checked, provide degrees of radial deviation:	If checked, provide degrees of radial deviation:			
Any other position except favorable	Any other position except favorable			
If checked, describe:	If checked, describe:			
Favorable in 20 to 30 degrees dorsiflexion	Favorable in 20 to 30 degrees dorsiflexion			

5B: Comments if any:	5B: Comments if any:
SECTION VI - SURG	I ICAL PROCEDURES
6A. Indicate any surgical procedures that the Veteran has had performed and provide the additional information as requested (check all that apply):	6A. Indicate any surgical procedures that the Veteran has had performed and provide the additional information as requested (check all that apply):
No surgery	No surgery
Total wrist joint replacement	Total wrist joint replacement
Date of surgery:	Date of surgery:
Residuals:	Residuals:
None	None
Intermediate degrees of residual weakness, pain, or limitation of motion	Intermediate degrees of residual weakness, pain, or limitation of motion
Chronic residuals consisting of severe painful motion or weakness	Chronic residuals consisting of severe painful motion or weakness
Other residuals, describe:	Other residuals, describe:
Arthroscopic or other wrist surgery Type of surgery: Date of surgery: Describe residuals:	Arthroscopic or other wrist surgery Type of surgery: Date of surgery: Describe residuals: MPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS, AND SCARS
	unditions, signs or symptoms related to any conditions listed in the diagnosis section
above?	

7B. Does the Veteran have any scars or other disfigurement (of the skin) related to any conditions or to the treatment of any conditions listed in the diagnosis section?						
⊖ Yes						
SECTION VIII - ASSISTIVE DEVICES						
8A. Does th	ne Veteran use any as	sistive devices?				
⊖ ^{Yes}	O No					
If yes, ident	ify the assistive device	es used (check all th	at apply and indicate freq	uency):		
Brace			Frequency of use:	Occasional	O Regular	O Constant
Other,	describe:		Frequency of use:	Occasional	O Regular	O Constant
8B. If the V	eteran uses any assis	tive devices, specify	the condition, indicate the	e side, and identify the as	sistive device used for eac	h condition.
		SECTION IX	- REMAINING EFFEC		THE EXTREMITIES	
Note: The in	ntention of this sectior					hether the Veteran should undergo
Note: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prosthesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.						
9A. Due to the Veteran's wrist condition(s), is there functional impairment of an extremity such that no effective function remains other than that which would be equally well served by an amputation with prosthesis (functions of the upper extremity include grasping, manipulation, etc.)?						
Yes, functioning is so diminished that amputation with prosthesis would equally serve the Veteran.						
	ate extremities for whi	ich this applica:	Right upper			
n yes, maio		ich this applies.		Left upper		
9B. For each checked extremity, identify the condition causing loss of function, describe loss of effective function and provide specific examples (brief summary):						
			SECTION X - D	IAGNOSTIC TESTING	3	
Note: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or post-traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.						
10A. Have	clinically relevant diag	nostic imaging studi	es or other diagnostic pro	cedures been performed	or reviewed in conjunction	with this examination?
⊖ ^{Yes}	O No					
10B. If yes,	is degenerative or po	st-traumatic arthritis	documented?			
O Yes	O No					
	Indicate side:	O Right	⊖ Left	Ов	oth	

10C. If yes provide type of test or procedure, date and results (brief summary):
10D. Are there any other clinically relevant diagnostic test findings or results related to the claimed condition(s) and/or diagnosis(es), that were reviewed in conjunction with this examination?
If yes, provide type of test or procedure, date and results (brief summary):
10E. If any test results are other than normal, indicate relationship of abnormal findings to diagnosed conditions:
SECTION XI - FUNCTIONAL IMPACT
Note: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors, such as age.
11A. Regardless of the Veteran's current employment status, do the conditions listed in the diagnosis section impact his/her ability to perform any type of occupational task (such as standing, walking, lifting, sitting, etc.)? Yes No
If yes, describe the functional impact of each condition, providing one or more examples:

SECTION XII - REMARKS

12A. Remarks (if any - please identify the section to which the remark pertains when appropriate).

SECTION XIII - EXAMINER'S CERTIFICATION AND SIGNATURE

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

PENALTY: The law provides severe penalties which include fine or imprisonment, or both, for the willful submission of any statement or evidence of a material fact, knowing it to be false, or for the fraudulent acceptance of any payment to which you are not entitled.

13A. Examiner's signature:		13B. Examiner's printed name and title (e.g. MD, DO, DDS, DMD, Ph.D, Psy.D, NP, PA-C):		
13C. Examiner's Area of Practice/Specialty (e.g. Cardiology, Orthopedics, Psychology/Psychiatry, General Practice): 13D. Date Signed:				
13E. Examiner's phone/fax numbers:	13F. National Provider Identifier (NPI) number:		13G. Medical license number and state:	
13H. Examiner's address:	<u>.</u>		·	